Wednesday, July	0 03, 2013 12:3.	3.11 РМ 			i		·					
Item ID: Revision ID:	D3912-1			Accept	*N900	<u></u> 040	100	)*	Setup	Start	*N.	S1*
Item Name:	Eyebolt				1					Stop	*N	S2*
Start Date: Required Date: Reference:		Start Qty: 20.00 Req'd Qty: 20.00	*20 *20		Cust Item I Customer:	D:			`		s	
Approvals:	Process Plan:	_CZ	Date: 13/07	Tooling: SPC (Y/N):		ate:	· · · · · · · · · · · · · · · · · · ·	· ky	Run	Start Stop	1/1	R1* R2*
Sequence ID/ Work Center II		Operation Description		Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accep Qty	t Rej		Reject Number	Insp. Stamp
Draw Nbr	Revisi	on Nbr		-								
D3912	В			<b>&amp;</b>	1							
*100 *100* Doosan Doosan Lathe		Memo TURN AS P. Prog Rev: Dwg Rev: Deburr as rec	_	0.00 0.00	3-7-2-6			9				
*110 *110* QC Quality Control	(	QC2- Inspect parts off ma	achine FAI/FAIB	0.00	13-7-			9	(	<b>/</b> -	<u> </u>	

												DQA:	Da <sup>-</sup>	te:	
NCR: \	'es	/ No					WORK ORDER NON-		NFOR	MANCE / UPDATE		QA Closed:	Da	te:	
Nork Orde	er: .		-	-			DISPOSITION			AGAINST	DEI	PARTMENT	/PROCESS		
Part N	lo.						Rework Scrap Use-as-is		1	Skid-tube Crosstube Machining Small Fab noforming Finishing			Water Jet d. Eng. Coor. re/Packaging		Engineering Quality Other
NCR N	lo.	_					Work Order Update	]		Large Fab Composite			Supplier		
Root Cause		Date	Step	Qty	Desc	-	otion of work order update	1	Initial nief Eng	Action Description		Sign & Date	Verification	n	QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining		Dute	52.0	aty			Tron comormanec								
				L			F	AUL	T CATE	GORY					_
Landi	ng G	Gear					General						1		1
		Bending Centre No Cracks Crushed/9		ntric to (	D/S		Bend BOM/Route Broken/Damaged Burrs		4 .	ire ion Incomplete tions Incomplete/Unclear		Ovalized Over/Under Part Incorred Part Lost/Mi	ct		Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
!		Crushed/Crimped Cuffs Heat Treat Inspection Strip in Tube				Contamination Countersink Cut Too Short			enance eled	-	Part Moved Positioned V Power Loss/	Vrong	_	Other	
		Ripples in	•		Ì		Drill Holes		Offset	•					
		Torque W			ո [		Drawing	Ŀ	-	Calibration					· · ·
		Turning S	equence				Finish		Out of S	Sequence					

Outside Dimensions

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order I Wednesday, July 03,		*103884*						. · · · · · · · · · · · · · · · · · · ·	Page 2	
Revision ID: Item Name: Eye	Start Qty: 20.00 Req'd Qty: 20.00	*20* *20*	Accept	*N900040  Cust Item ID: Customer:	)1 <b>(</b> (	<b>)</b> *	Setup Sta	IN	S1* S2*	
••	:	Date:	Tooling: SPC (Y/N):	Date: Date:		]	Run Sta Sto	!7	R1* R2*	
Sequence ID/ Work Center ID 120 *120* QC Quality Control	Operation Description QC8- Inspect parts - secon	nd check	Set Up/ Run Hours 0.00	Tool ID Tool #	# Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	
*130 *130* Packaging Packaging	ldentify as per dwg & Sto Memo	ck Location: <u>ST14</u> 4	0.00	i i		_7x	<u> </u>	<u> </u>	1 <u>3-08</u>	
*140 *140* QC Quality Control.	QC21- Final Inspection -  Memo	Work Order Release	0.00				115 _	13-08	<u>}-09</u>	

		_	
NCR:	Yes	-/-	No

## WORK ORDER NON-CONFORMANCE / UPDATE

DISPOSITION

TE.	DQA:	Date:	
	QA Closed:	Date:	
AGAINST DE	PARTMENT	/PROCESS	
Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Quality Other
i ion	Sign & Date	Verification	QCInspector

Part N	_ No	6	× ×			Rework Scrap Use-as-is Work Order Update		Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fat Finishing Composite			Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other
Root					Descri	ption of work order update	T	I Initial		tion		Sign &			
Cause		Date	Step	Qty		or Non-conformance		nief Eng	Desc	ription		Date	Verificatio	n	QC <sup>*</sup> Inspector
Doc/Data			,		<del></del>								<u> </u>		
Equip/Tooling			ı						ı.					:	
Operator		1													
Material															
Setup															
Other							1								
Process															
Supplier		İ													
Training															
Unapproved				i			$\perp$								
						<u>_</u>	AUI	LT CATE	GORY			<del> </del>			
Landi	ng Ge	ar				General	_	,			_	,		_	1
	∐В	ending				Bend		Grain			<u></u>	Ovalized			Pressure/Forced
	Щc	entre No	t Concer	ntric to (	o/s	BOM/Route	_	Hardwa	re		L	Over/Under	tolerance		Temperature/Cure
	Щc	racks				Broken/Damaged	<u> </u>	4 '	on incomplete		$\perp$	Part Incorre		<u></u>	Weld
	_	rushed/0	Crimped			Burrs		-1	ions Incomplete	/Unclear	$\vdash$	Part Lost/M	issing		Wrong Stock Pulled
		uffs				Contamination	<u> </u>	Mainte			L	Part Moved			
	Ш⁺	eat Trea	t			Countersink	<u> </u>	Mislabe	eled		$\perp$	Positioned \	_		ī
	—	spection	-	Tube	_	Cut Too Short		Misread	j		L	Power Loss/	Surge		Other
	$\vdash$	ipples in			<u> </u>	Drill Holes		Offset				-			<del></del>
	<b>∐</b> Т	orque W	aves in E	xtrusio	n	Drawing		-1	Calibration						
1	Щт	urning Se	equence			Finish	L	4	Sequence						
1	Ιİν	/ave/Tw	ist in Tub	oe .	1	Folio	-	Outside	Dimensions						

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

M303R2.000 Purchased No 100 f 15.2660 0.25 5.2631579 3-7-  Location Loc Oty Loc Code  MAT029 15.266 116700 0.708 121846 2.972 122682 8,732 7.8 1.8 1.3 1.8 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	Work Order ID: Parent Item: Parent Item Name:	103884 D3912-1 Eyebolt						·	rt Date: 7/3/20 art Qty: 20.00	113	Required I Required	Date: 7/15/2 Qty: 20.00	
Item   Name   Item   Item   D   Purch   Item   Location   Location   Seq   ID   Measure   Hand   Qty   Issued   Issued				y:EC				<del>-</del>	 				
Location   Loc Oty   Loc Code     MAT029									Qty per Kit				Status
	303 ROUND BAR 2"		Turenascu		MAT029 116 116 121 122	700 846 682	Loc Oty 15.266 2.854 0.708 2.972 8.732	_		- X X	7		

O

NCO.	M	,	B.1 -
NCR:	Yes	/	No

											DQA:	Dat	te:	
NCR: Y	es / N	ю				WORK ORDER NON	-COI	VFOR	MANCE / UPDATE		QA Closed:	Dat	ro.	
Work Orde	r:					DISPOSITION		AGAINST DEPARTMENT/PROCESS						
	Part No.				Rework Scrap		Skid-tube Crosstube Machining Small Fab				Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other		
NCR N	NCR No.				Use-as-is Work Order Update	_		noforming Finishing Large Fab Composite	-	Nec/3to	Supplier			
Root	1				Descr	iption of work order update	$\Box$	nitial	Action		Sign &			
Cause	Da	te	Step	Qty		or Non-conformance	Ch	ief Eng	Description		Date	Verification	n QC Inspector	
oc/Data								:						
quip/Taaling							Î							
perator		1	ļ											
laterial		- [								- 1				
etup														
ther	_									- {				
rocess	_													
upplier	_						i	:						
raining	_													
napproved									<u> </u>			<u> </u>		
							FAUL	T CATE	GORY					
Landir	ng Gear				_	General		1				,		
	Bend	_			. L	Bend	-	Grain		-	Ovalized		Pressure/Forced	
			Concer	itric to	o/s	BOM/Route	<u> </u>	Hardwa		Н	Over/Under		Temperature/Cure	
	Crack				<u> </u>	Broken/Damaged	- }-	4	on Incomplete	$\vdash$	Part Incorre		Weld	
			rimped		$\vdash$	Burrs	-	1	ions Incomplete/Unclear	-	Part Lost/Mi	issing	Wrong Stock Pulled	
,	Cuffs				 	Contamination	$\vdash$	Mainte		-	Part Moved			
}		Treat			 	Countersink	<u> </u>	Mislabe		-	Positioned V		Othor	
			Strip in	Tube	L	Cut Too Short	$\vdash$	Misread	1	Ш	Power Loss/	surge	Other	
		es in E			F	Drill Holes	$\vdash$	Offset	n til	-				
			ives in E		n	Drawing	Out of Calibration							
	_		quence		L	Finish	-	1 .	Sequence	-				
1	Wave/Twist in Tube			e	i	Folio	- 1	Outside	Dimensions					

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	103889
Description: Eyebolt	Part Number:	D3912-1
Inspection Dwg: D3912 Rev: B		Page 1 of 1


## FIRST ARTICLE INSPECTION CHECKLIST

Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	I Olei alice	Dimension	Accept	Reject	Inspection	
0.13	+/-0.030	.128		<u> </u>	87-6	Ners
Ø0.700	+/-0.010	-695		_		
Ø0.500	+/-0.010	795			/	
0.90	+/-0.030	ୃବପ				
0.13 x 45°	+/-0.030 x 0.5°	-13245	/			
0.22	+/-0.030	.221				
0.75	+/-0.030	. 75				
0.970	+/-0.010	.5%9				
1.72	+/-0.030	1. 720				/
1.20	+/-0.030	1.201		<u> </u>		
0.625	+/-0.010	.625				
2.23	+/-0.030	2.230)				
R0.13	+/-0.030	R. 125				
R0.015	+/-0.010	Ros				
0.625	+/-0.010	.620				
Ø0.650	+/-0.010	-652				
1:100	+/-0.010	1-1-107	-/-			
0.44	+/-0.030	,44				
-R0.13	+/-0.030	R.125				/
1.00	+/-0.030	1,005			/	/
0.25	+/-0.030	-250			/	/
0.88	+/-0.030	.879		1		
0.11	+/-0.030	-111		<u> </u>		
Ø0.719	+0.010/-0.000	724		]		
					<u> </u>	`
	1					


Measured by:	Audited by:	red	Preliminary Approval:	
Date: (3-7-)	Date:	飞.罗.	Date:	~

Rev	Date	Change	Revised by	Approved
A	10.06.07	New Issue	KJ I	
В	10.08.09	Dimensions revised per Dwg Rev B	KJ 💖	- \ \
	-			•


		•	
			-
•			
•			
			•
		•	
	,		
	•		
	•		
	•		



•		
	• .	
	_	
	•	
	•	
		·



•			
			,
			;
-			
is a			



<b>, ★</b>					·
			·		
	,	•			
					•
			•		
•		•			
•					
	·				•
	,				
•					
					•
-					
	·				
<u>.</u> '					
·			•		
•				. •	
				•	4